




Protecting floors and buildings.

Silikal Reactive Resin Flooring  
**for the baking industry**



Expect more from your floor.





Floors made of Silikal reactive resins  
**Clean, safe, fast and appealing**

Fantastic when a floor is still "in good shape" even when under constant strain. When being used professionally for baking cakes and breads, for example, when producing fresh tarts non-stop or when selling oven-fresh rolls. Silikal's reactive resin for floor coatings has proven itself to be the ideal match each step along the way. Extremely durable, seamless, hygienic and installed within a matter of hours, it offers the best basic conditions for even the toughest circumstances.

Silikal floor coatings are non-slip (slip-resistance rating R 9 to R 13) and resistant to acids, lyes, greases, salts and other aggressive substances. Their non-porous surfaces assure cleanliness that is easy to maintain, physiologically safe MMA resins, guarantee the highest resistance to mechanical wear.

**Silikal floors are the ideal basis for bakeries, confectionary shops and the baked goods industry—for new construction and renovation projects.**

Silikal floors are beautiful and have proven their quality over many decades in almost every industrial, commercial and trade sector. The rich selection of colours, their attractive appeal and added design options by the use of coloured flakes or coloured quartz. Ideal for floors subject to demanding conditions in bakery production and tastefully designed sales areas.

The short curing time of the floor is also an advantage. In only one hour, Silikal resins cure to become a floor that can stand up to any load – even at the low temperatures prevailing in refrigerated rooms. Renovations and repair can therefore be carried out literally "overnight" without any downtimes for the company.







Hygienic, durable, seamless  
and installed “over night”





# Silikal. One name for all floors.

## Your call – Silikal!

The best at a glance:

### Hygienic and clean

- ▶ Monolithic, seamless surface
- ▶ Resistant to alkalis, acids, greases, oils, salts and other aggressive media (for details, see the Technical Data Sheet)
- ▶ Easy to take care of

### Safe

- ▶ Anti-skid surface grades
- ▶ Wear and tear resistant
- ▶ Can withstand hot and cold

### Quick and beautiful

- ▶ Extremely short curing times; no interruptions in business when renovations are made!
- ▶ Easy to apply, even at temperatures below zero
- ▶ Selection of appealing colours, e. g. with coloured quartz sand or flakes mixtures as standard



Certified Quality and Ecology Management Systems  
Reg. No. 73 100 / 104 663



Our products are certified by HACCP international



Our products comply with the Halal european guidelines



Certified according to AgBB evaluation scheme



Ask about our Colour Concepts!



### We see to the best solution.

The best solutions require know-how and experience. We can provide it. When we go out on site to analyse a problem, we know what we're doing. Practical help, friendly and, of course, reliable.

Contact us. We would be pleased to go into detail with you – at no cost or obligation to you, of course.



Silikal production and administration in Mainhausen, near Frankfurt/Main, Germany.



Protecting floors and buildings.

### Silikal GmbH

Reactive resins and polymer concrete for industrial floors and civil engineering projects

Ostring 23  
63533 Mainhausen – Germany  
Phone: +49 (0) 61 82 / 92 35-0  
Fax: +49 (0) 61 82 / 92 35-40  
mail@silikal.de  
www.silikal.de

Expect more from your floor.

Your expert applicator:

All details given above can only serve as general information. The various working conditions or circumstances beyond our control and the many different materials in use exclude any claim which might arise out of the information contained herein. In case of doubt, we recommend that you make sufficient trials on your own.

# 5238/16.03/TUR

We are there for you around the clock.  
Our Silikal hotline

**Tel. +49 (0) 61 82 / 92 35-0**

is manned day and night.

